

## VOLUME 18 CONTENTS

### Numbers 1-2

- |  |   |
|--|---|
| S. JEONG, B. H. KANG and<br>S. W. KANG                 | 1 Dynamic simulation of an absorption heat pump for recovering low grade waste heat                                       |
| R. Z. WANG, J. Y. WU, Y. X. XU,<br>Y. TENG, and W. SHI | 13 Experiment on a continuous heat regenerative adsorption refrigerator using spiral plate heat exchanger as adsorbers    |
| A. E. CONRADIE, J. D. BUYS and<br>D. G. KRÖGER         | 25 Performance optimization of dry-cooling systems for power plants through SQP methods                                   |
| R. M. LAZZARIN AND<br>A. GASPARELLA                    | 47 Technical and economical analysis of heat recovery in building ventilation systems                                     |
| M. A. PORTA-GÁNDARA,<br>E. RUBIO and J. L. FERNÁNDEZ   | 69 Technical Note<br>Experimental measurement of the water-to-cover heat transfer coefficient inside shallow solar stills |
|  | I Calendar  |
|  | III Title Page, Volume Contents and Author Index for Volume 17  |

### Numbers 3-4

- |  |   |
|--|---|
| J. JURNG and C. W. PARK                          | 73 On the performance of a desorber for absorption heat pumps with a thermosyphon and a surface-flame burner  |
| Y. KATO, K. KOBAYASHI and<br>Y. YOSHIZAWA        | 85 Durability to repetitive reaction of magnesium oxide/water reaction system for a heat pump   |
| S. B. RIFFAT and A. HOLT                         | 93 A novel heat pipe/ejector cooler   |
| M. RASHIDI                                       | 103 Calculation of equilibrium composition in combustion products   |
| G. CERRI, A. SORRENTI and<br>Q. ZHANG            | 111 Optimization of cleaning timing and load allocation in steam generator management   |
| S. B. RIFFAT and G. GAN                          | 121 Determination of effectiveness of heat-pipe heat recovery for naturally-ventilated buildings  |
| M. MBAYE, Z. AIDOUN,<br>V. VALKOV and A. LEGAULT | 131 Analysis of chemical heat pumps (CHPs): basic concepts and numerical model description  |
| W. RIVERA and R. J. ROMERO                       | 147 Thermodynamic design data for absorption heat transformers. Part seven: operating on an aqueous ternary hydroxide   |
| A. CAMPO and A. SÁNCHEZ                          | 157 Convective heat transport of high-pressure flows inside active, thick walled-tubes with isothermal outer surfaces: usage of Nusselt correlation equations for an inactive, thin walled-tube |

- |  |     |  |
|--|-----|--|
| V. TUFANO  | 171 | Simplified criteria for the development of new absorption working pairs                      |
| X.-G. MA and Z.-H. CHEN  | 179 | Heat recovery from the starting vessel of a once-through boiler system                       |
| L. LÓPEZ, J. M. BLANCO,<br>J. J. BONILLA, S. BAEZA and<br>J. M. SALA | 187 | Determination of energy and exergy of waste heat in the industry of the Basque country       |
| F. W. GIACOBBE   | 199 | Heat transfer capability of selected binary gaseous mixtures relative to helium and hydrogen |
| P. K. BANSAL and<br>A. S. RUPASINGHE                                 | 207 | An homogeneous model for adiabatic capillary tubes   |
|  | I   | Calendar   |

### Number 5

- |  |     |  |
|--|-----|--|
| M. A. HAMDAN and A. QUBBAJ                                     | 221 | Inhibition effect of inert compounds on oil shale dust explosion   |
| S. YOUNUS AHMED,<br>P. GANDHIDASAN and<br>A. A. AL-FARAYEDHI   | 231 | Pipeline drying using dehumidified air with low dew point temperature  |
| F. N. ALASFOUR   | 245 | NO <sub>x</sub> emission from a spark ignition engine using 30% iso-butanol-gasoline blend: Part 1—Preheating inlet air        |
| S.-I. GUSTAFSSON   | 257 | Municipal thermal and electricity loads—A case study in Linköping  |
| A. Y. KHAN   | 265 | Cooling and dehumidification performance analysis of internally-cooled liquid desiccant absorbers                              |
| J. L. B. VAN REISEN,<br>G. T. POLLEY and<br>P. J. T. VERHEIJEN | 283 | Structural targeting for heat integration retrofit   |
| C. WU and T. J. BURKE  | 295 | Intelligent computer aided optimization on specific power of an OTEC Rankine power plant                                       |
| C. D. RAKOPOULOS and<br>G. C. MAVROPOULOS                      | 301 | Components heat transfer studies in a low heat rejection DI diesel engine using a hybrid thermostructural finite element model |
| N. AFGAN, P. J. COELHO and<br>M. G. CARVALHO                   | 317 | Boiler tube leakage detection expert system  |
| A. A. KINSARA, O. M. AL-RABGHI<br>and M. M. ELSAYED            | 327 | Parametric study of an energy efficient air conditioning system using liquid desiccant   |
| M. M. SALAH EL-DIN   | 337 | Performance analysis of partially-wet fin assembly   |
|  | 351 | Announcement   |
|  | I   | Calendar   |

## Number 6

- |   |     |  |
|---|-----|--|
| C. F. MCDONALD  | 353 | Mobile hybrid (nuclear/oil fired) gas turbine cogeneration power plant concept                                 |
| WEI-LING JIAN and<br>M. ZAHEERUDDIN                                     | 369 | Sub-optimal on-off switching control strategies for chilled water cooling systems with storage                 |
| K. DARKWA   | 387 | Thermochemical energy storage in inorganic oxides: an experimental evaluation                                  |
| G. BIDINI, U. DESIDERI,<br>S. SAETTA and P. P. BOCCHINI                 | 401 | Internal combustion engine combined heat and power plants: case study of the University of Perugia power plant |
| M. FLAMENSBECK,<br>F. SUMMERER, P. RIESCH,<br>F. ZIEGLER and G. ALEFELD | 413 | A cost effective absorption chiller with plate heat exchangers using water and hydroxides                      |
| P. K. NAG and<br>A. V. S. S. K. S. GUPTA                                | 427 | Exergy analysis of the Kalina cycle  |
| L. LIN and A. FAGHRI  | 441 | An analysis of two-phase flow stability in a thermosyphon with tube separator                                  |
| Z. DEHOUCHE, W. DE JONG,<br>E. WILLERS, A. ISSELHORST<br>and M. GROLL   | 457 | Modelling and simulation of heating/air-conditioning systems using the multi-hydride-thermal-wave concept      |
| N. MARTINS, M. G. CARVALHO,<br>N. H. AFGAN and A. I. LEONTIEV           | 481 | Experimental verification and calibration of the blow-off heat flux sensor                                     |
| S. M. SAMI and C. TRIBES  | 491 | Numerical prediction of capillary tube behaviour with pure and binary alternative refrigerants                 |
|   | 503 | Announcement   |
|   | I   | Calendar   |
|   | III | PatentsALERT   |

## Number 7

- |  |     |   |
|--|-----|---|
| L. L. VASILIEV   | 507 | Review Paper<br>State-of-the-art on heat pipe technology in the former Soviet Union                             |
| R. SARAVANAN and M. P. MAIYA   | 553 | Thermodynamic comparison of water-based working fluid combinations for a vapour absorption refrigeration system |
| S. DEVOTTA, M. G. PARANDE<br>and V. R. PATWARDHAN                      | 569 | Performance and heat transfer characteristics of HFC-134a and CFC-12 in a water chiller                         |
| O. BADR, N. ALSAYED and<br>M. MANAF                                    | 579 | A parametric study on the lean misfiring and knocking limits of gas-fueled spark ignition engines               |
| M. H. HABEEBULLAH,<br>M. AKYURT, Y. S. H. NAJJAR<br>and A. K. EL-KALAY | 595 | Experimental performance of a waste heat recovery and utilization system with a looped water-in-steel heat pipe |

## I Calendar

## III PatentsALERT

## Number 8

- |  |     |  |
|--|-----|--|
| F. N. ALASFOUR   | 609 | NO <sub>x</sub> emission from a spark ignition engine using 30% iso-butanol-gasoline blend: Part 2—Ignition timing |
| B. M. SHAUGHNESSY and M. NEWBOROUGH  | 619 | Radiative heat transfer in low-emissivity ovens  |
| I. CHANDRA and S. DEVOTTA  | 643 | Control of a heat pump assisted distillation column  |
| G. T. LEE, B. H. KANG and J.-H. LEE  | 653 | Effectiveness enhancement of a thermal regenerator in an oscillating flow  |
| R. AYALA, C. L. HEARD and F. A. HOLLAND  | 661 | Ammonia/lithium nitrate absorption/compression refrigeration cycle. Part II. Experimental                          |
| K. C. NG, K. TU, H. T. CHUA, J. M. GORDON, T. KASHIWAGI, A. AKISAWA and B. B. SAHA | 671 | Thermodynamic analysis of absorption chillers: internal dissipation and process average temperature                |
| H. M. SABIR and I. W. EAMES  | 683 | Theoretical comparison between lithium bromide/water vapour resorption and absorption cycles                       |
| R. DOMAŃSKI and G. FELLAH  | 693 | Thermoeconomic analysis of sensible heat, thermal energy storage systems   |

## I Calendar

## Numbers 9-10

## Special Issue: Heat Powered Cycles

- |                                       |     |  |
|---------------------------------------|-----|--|
| I. W. EAMES                           | 705 | Editorial  |
| N. C. SRIVASTAVA and I. W. EAMES      | 707 | A review of adsorbents and adsorbates in solid-vapour adsorption heat pump systems                   |
| F. MEUNIER                            | 715 | Solid sorption heat powered cycles for cooling and heat pumping applications                         |
| R. TOZER and R. W. JAMES              | 731 | Heat powered refrigeration cycles  |
| J. CASTAING-LASVIGNOTTES and P. NEVEU | 745 | Equivalent Carnot cycle concept applied to a thermochemical solid/gas resorption system              |
| P. LAMP, C. SCHWEIGLER and F. ZIEGLER | 755 | Opportunities for sorption cooling using low grade heat  |
| M. JELINEK and I. BORDE               | 765 | Single- and double-stage absorption cycles based on fluorocarbon refrigerants and organic absorbents |

K. OERTEL and M. FISCHER	773	Adsorption cooling system for cold storage using methanol/silicagel
M. S. AHMED and Y. A. ATTIA	787	Multi-metal oxide aerogel for capture of pollution gases from air
R. E. CRITOPH	799	Forced convection adsorption cycles
T. G. KARAYIANNIS	809	EHD boiling heat transfer enhancement of R123 and R11 on a tube bundle
N. MAZET and H.-B. LU	819	Improving the performance of the reactor under unfavourable operating conditions of low pressure
T. HEPPENSTALL	837	Advanced gas turbine cycles for power generation: a critical review
M. MOSTAFAVI, A. ALAKTIWI and B. AGNEW	847	Thermodynamic analysis of combined open-cycle-twin-shaft gas turbine (Brayton cycle) and exhaust gas operated absorption refrigeration unit
C. MOSTOFIZADEH and C. KULICK	857	Use of a new type of heat transformer in process industry
C. J. MEYER and D. G. KRÖGER	875	Plenum chamber flow losses in forced draught air-cooled heat exchangers
R. K. AL-DADAH and T. G. KARAYIANNIS	895	Passive enhancement of condensation heat transfer
M. A. ALSAAD and M. A. HAMMAD	911	The application of propane/butane mixture for domestic refrigerators
	I	Calendar
	III	PatentsALERT

## Number 11

### Special Issue: Energy and the Environment: Efficient Utilization of Energy and Water Resources

	919	Editorial
F. MARÉCHAL and B. KALITVENTZEFF	921	Energy integration of industrial sites: tools, methodology and application
A. MARTENS	935	The energetic feasibility of CHP compared to the separate production of heat and power
N. BERGLIN and T. BERNTSSON	947	CHP in the pulp industry using black liquor gasification: thermodynamic analysis
N. LADOMMATOS, S. ABDELHALIM and H. ZHAO	963	Control of oxides of nitrogen from diesel engines using diluents while minimising the impact on particulate pollutants
H. H. LIAKOS, K. N. THEOLOGOS, A. G. BOUDOUVIS and N. C. MARKATOS	981	Pulverized coal char combustion: the effect of particle size on burner performance

- |  |      |   |
|--|------|---|
| E. BAR-ZIV and<br>I. I. KANTOROVICH  | 991  | Role of porous structure in char oxidation  |
| P. PAPAETHIMIOU,<br>T. IOANNIDES and<br>X. E. VERYKIOS   | 1005 | Catalytic incineration of volatile organic compounds present in industrial waste streams  |
| J. M. LEE, Y. J. KIM and<br>S. D. KIM  | 1013 | Catalytic coal gasification in an internally circulating fluidized bed reactor with draft tube                                  |
| G. SARACCO and V. SPECCHIA   | 1025 | Simultaneous removal of nitrogen oxides and fly-ash from coal-based power-plant flue gases                                      |
| G. N. POLYDORAS,<br>J. S. ANAGNOSTOPOULOS and<br>G. Ch BERGELES                                    | 1037 | Air quality predictions: dispersion model vs Box-Jenkins stochastic models. An implementation and comparison for Athens, Greece |
| A. CORTI and E. CARNEVALE  | 1049 | Environmental impact from wet plumes in combined-cycle power plants   |
| T. R. BOTT   | 1059 | Techniques for reducing the amount of biocide necessary to counteract the effects of biofilm growth in cooling water systems    |
| H. NISHIKAWA, T. TSUCHIYA,<br>Y. NARASAKI, I. KAMIYA and<br>H. SATO                                | 1067 | Triple effect evacuated solar still system for getting fresh water from seawater  |
| M. NAKAIWA, K. HUANG,<br>M. OWA, T. AKIYA, T. NAKANE,<br>M. SATO, T. TAKAMATSU<br>and H. YOSHITOME | 1077 | Potential energy savings in ideal heat-integrated distillation column   |
| L. Y. HUANG, J. X. WEN,<br>T. G. KARAYIANNIS and<br>R. D. MATTHEWS                                 | 1089 | Numerical prediction of high efficiency boiler heat exchanger performance   |
| M. W. LIDDAMENT and<br>M. ORME   | 1101 | Energy and ventilation  |
| J. TANNY and M. TEITEL   | 1111 | Efficient utilization of energy in buildings and ponds  |
| D. DATTA and S. A. TASSOU  | 1121 | Artificial neural network based electrical load prediction for food retail stores   |
| K. A. ANTONOPOULOS,<br>M. VRACHOPOULOS<br>and C. TZIVANIDIS  | 1129 | Experimental evaluation of energy savings in air-conditioning using metal ceiling panels  |
| S. HAMLIN, R. HUNT and<br>S. A. TASSOU   | 1139 | Enhancing the performance of evaporative spray cooling in air cycle refrigeration and air conditioning technology               |
| S. WU and I. W. EAMES  | 1149 | A novel absorption-recompression refrigeration cycle  |
| T. HARA, H. AZUMA,<br>H. SHIMIZU, H. OBORA and<br>S. SATO  | 1159 | Cooling performance of solar cell driven, thermoelectric cooling prototype headgear   |

I Calendar

III PatentsAlert

**Number 12**

- |   |      |  |
|---|------|--|
| G. GAN and S. B. RIFFAT                                       | 1171 | A numerical study of solar chimney for natural ventilation of buildings with heat recovery   |
| J. FERNÁNDEZ-SEARA,<br>A. VALES and M. VÁZQUEZ                | 1189 | Heat recovery system to power an on-board $\text{NH}_3\text{-H}_2\text{O}$ absorption refrigeration plant in trawler chiller fishing vessels |
| F. AL-JUWAYHEL and<br>M. M. EL-REFAEE                         | 1207 | Thermal performance of a combined packed bed-solar pond system—a numerical study   |
| W. M. CHAKROUN,<br>A. A. ABDEL-RAHMAN<br>and S. F. AL-FAHED   | 1225 | Heat transfer augmentation for air jet impinged on a rough surface   |
| G. S. LEE and S. T. RO  | 1243 | Analysis of the liquefaction process of exhaust gases from an underwater engine  |
| A. J. JOLLY, T. O'DOHERTY<br>and C. J. BATES                  | 1263 | COHEX: a computer model for solving the thermal energy exchange in an ultra high temperature heat exchanger. Part A: computational theory    |
| M. NIANG, T. CACHOT and<br>P. LE GOFF                         | 1277 | Evaluation of the performance of an absorption-demixion heat pump for upgrading thermal waste heat   |
| L. WESTERLUND, J. DAHL and<br>R. HERMANSSON                   | 1295 | Heat and mass transfer simulations of the absorption process in a packed bed absorber  |
| S. JEONG, S.-K. LEE and<br>K.-K. KOO                          | 1309 | Pumping characteristics of a thermosyphon applied for absorption refrigerators with working pair of $\text{LiBr/water}$                      |
| K. J. KIM, G. M. LLOYD,<br>K. T. FELDMAN JR.<br>and A. RAZANI | 1325 | Thermal analysis of the $\text{Ca}_{0.4}\text{Mm}_{0.6}\text{Ni}_5$ metal-hydride reactor  |
| M. N. NIJMEH, A. S. RAGAB,<br>M. S. EMEISH and B. A. JUBRAN   | 1337 | Design and testing of solar dryers for processing food wastes  |
| D. A. BLANK and C. WU   | 1347 | Finite-time power limit for solar-radiant Ericsson engines in space applications   |
| R. L. FAGBENLE and<br>T. G. KARAYIANNIS                       | 1359 | A thermodynamic analysis of a simple open-flow solar regenerator   |
| H. Z. ABOU-ZIYAN  | 1375 | Experimental investigation of tracking paraboloid and box solar cookers under Egyptian environment   |

I Calendar

III Title Page, Volume Contents and Author Index for Volume 18